Version: 1.3 Revision Date: 05/30/2012 Print Date: 07/23/2013 SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Product name: OMNI® STABILIZED CHLORINATING GRANULES Product Use Description: **Recreational Water Product** Chemical nature: Chlorinated Isocyanurates **Registration number:** 5185-441-10305 Company: **Manufacturer** Asepsis, Inc. OMNI POOL PRODUCTS P.O. Box 1788 Suwanee, GA 30024-0973 Telephone: (800) 959-7946 Emergency telephone CHEMTREC: (24 hours) 800-424-9300, 703-527-3887 Poison Control Center (Medical) :: (877) 800-5553 number: For additional emergency telephone numbers see section 16 of the Safety Data Sheet. Prepared by: Product Safety Department (US) +1 866-430-2775 05/30/2012 MSDSRequest@chemtura.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

SA

<u>Form</u> : granules	Colour: white Odour: Chlorine
Hazard Summary	: Corrosive Oxidizer Causes serious eye damage. Harmful if absorbed through skin. May be fatal if inhaled. Causes respiratory tract irritation. Harmful if swallowed. Avoid breathing dust or vapor. Do not get in eyes, on skin, or on clothing.
OSHA Hazards	: THIS MATERIAL IS HAZARDOUS UNDER THE CRITERIA OF THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.
0	1/10 SDS Number: 00000002053

sion: 1.3	Revision Date: 05/30/2012	Print Date: 07/23/
Potential Health Effects		
Primary Routes of Entry	: Eye contact Skin contact Inhalation Ingestion	
Aggravated Medical Condition	: Respiratory disorders Skin disorders	
Inhalation	: May be fatal if inhaled. Causes respiratory tract irritation.	
Skin	: Harmful if absorbed through skin. On contact with moisture, this material readily hy in burns if not promptly removed.	drolyzes to acid which may r
Eyes	: Causes serious eye damage.	
Ingestion	: Harmful if swallowed.	
Chronic Exposure	: None known.	
Symptoms of Overexposure	: irritant effects	
	DRMATION ON INGREDIENTS	
TION 3. COMPOSITION/INFO Hazardous components Component / CAS-No.	DRMATION ON INGREDIENTS	Weight percen
Hazardous components Component / CAS-No.		
Hazardous components		Weight percent
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate,	, dihydrate	
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate, 51580-86-0	, dihydrate	
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate, 51580-86-0	, dihydrate	>= 99 %
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate, 51580-86-0 TION 4. FIRST AID MEASUR First aid procedures	, dihydrate RES : Remove to fresh air.	ately.
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate, 51580-86-0 TION 4. FIRST AID MEASUR First aid procedures Inhalation	, dihydrate RES : Remove to fresh air. Call a physician or poison control centre immedia : Remove contaminated clothing and shoes. Rinse immediately with plenty of water for at leas	ately. ately. ately. er the eyelids, for at least 15 es, then continue rinsing eye.
Hazardous components Component / CAS-No. Sodium dichloroisocyanurate, 51580-86-0 TION 4. FIRST AID MEASUR First aid procedures Inhalation Skin contact	<ul> <li>dihydrate</li> <li>Remove to fresh air. Call a physician or poison control centre immedia</li> <li>Remove contaminated clothing and shoes. Rinse immediately with plenty of water for at leas Call a physician or poison control centre immedia</li> <li>Rinse immediately with plenty of water, also under minutes. Remove contact lenses, if present, after 5 minutes</li> </ul>	ately. ately. er the eyelids, for at least 15 es, then continue rinsing eye. ately. ately. er poison control center or

sion: 1.3	Revision Date: 05/30/2012 Print Date: 07/23/	
Notes to physician		
Symptoms	: irritant effects	
Treatment	: Probable mucosal damage may contraindicate the use of gastric lavage.	
TION 5. FIREFIGHTING MEA	SURES	
Flammable properties		
Flash point	: Remarks: not applicable	
Fire fighting		
Suitable extinguishing media	: Flood with large volumes of water.	
Unsuitable extinguishing media	: ABC powder Dry chemical	
	Risk of violent reaction.	
Further information	<ul> <li>This product, if heated by an outside source to temperatures above 240 C (46 F), will undergo vigorous self-sustaining decomposition with the evolution of h and dense noxious gases.</li> <li>When ignited, will burn with the evolution of noxious chlorine containing gases Do not let fire burn.</li> <li>Nitrogen trichloride can be generated slowly by the reaction of small quantitie water with a high concentration of this product. Nitrogen trichloride can preser an explosion hazard. Immediately after a fire has been extinguished, check for wet or damp material. Any spilled material from burned or broken containers should be assumed contaminated. Neutralize to a non-oxidizing material for s disposal. Do not attempt to re-close broken containers, even for movement to the disposal area. They should be left open to disperse any nitrogen trichlorid that may form. Material which appears undamaged except for being damp on outside, should be opened and inspected immediately. If the plastic liner (whe applicable) of the container is damaged or the material is damp, the material should be chemically treated if allowable, to a non-oxidizing material for safe disposal. Bulging containers require extreme care. Contact the fire department of the formation of the container is damaged or the material is damp, the material should be chemically treated if allowable, to a non-oxidizing material for safe disposal. Bulging containers require extreme care. Contact the fire department of the plastic line (when a formation of the form</li></ul>	
Protective equipment and p	recautions for firefighters	
Specific hazards during firefighting	: Burning produces noxious and toxic fumes.	
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Thoroughly decontaminate fire fighting equipment including all fire fighting wearing apparel after the incident.	
TION 6. ACCIDENTAL RELE	ASE MEASURES	
Personal precautions	: Ensure adequate ventilation. Use personal protective equipment.	
Environmental precautions	: Do not flush into surface water or sanitary sewer system.	
Methods for containment /	: Using appropriate protective clothing and safety equipment, contain spilled	

/ersion: 1.3	Revision Date: 05/30/2012	Print Date: 07/23/201
Methods for cleaning up material. Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil, and other contaminated material and place into clean of containers for disposal. Do not close containers containing wet or damp material. They should be open to disperse any hazardous gases that may form.		rial and place into clean dry material. They should be left
Additional advice	: Do not use floor sweeping compounds to clean u Do not transport wet or damp material. Treat recovered material as described in the sec	
ECTION 7. HANDLING AND ST	ORAGE	
Handling		
Handling procedures	<ul> <li>Avoid contact with skin, eyes and clothing. Avoid breathing dust. Avoid breathing vapors. Strong oxidizing agent. Do not mix with other chemicals. Mix only with water. Never add water to this product. Always add product to large quantities of water. Use only clean and dry utensils. Do not add this product to any dispensing device other product. Such use may cause a violent re- explosion. Contamination with moisture, organic matter or or chemical reaction and generate heat, hazardous explosion. In case of contamination or decomposition, do n If possible, isolate container in open air or well v Flood with large volumes of water. Wash hands thoroughly with soap and water after drinking or using tobacco. Do not handle until all safety precautions have b</li> </ul>	action leading to fire or other chemicals may start a s gas, possible fire and ot reseal container. entilated area. er handling and before eating,
Storage Requirements for storage areas and containers	: Store in original container. Temperature not to exceed 52 C (125F) for 24 h Keep container closed when not in use. Store in a cool, dry, well ventilated area away fro	
	Keep out of reach of children. Keep away from animals. OLS/PERSONAL PROTECTION	
Exposure Guidelines		
Engineering measures		
Engineering measures	<ul> <li>Ensure that eyewash stations and safety shower location.</li> <li>Use with adequate ventilation.</li> </ul>	rs are close to the workstation
AP 6.0	4 / 10 SDS N	umber: 00000002053

ersion: 1.3	Revision Date: 05/30/2012	Print Date: 07/23/20
Personal protective equip	nent	
Eye protection	: Goggles Safety glasses with side-shields	
Hand protection	: Wear rubber gloves.	
Respiratory protection	: A respiratory protection program that me requirements must be followed wheneve respirator's use.	
Hygiene measures	: Wash contaminated clothing before reus	se.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form Colour	: granules : white
Odour	: Chlorine
Safety data	
Flash point	: Note: not applicable
рН	: 6 - 7 at 77 °F (25 °C) Note: 1% Solution
Melting point/range	: 464 - 482 °F (240 - 250 °C) Note: Decomposes
Boiling point/boiling range	: Note: not applicable
Vapour pressure Density	: no data available : 0.897 - 0.961 g/cm3
Water solubility	: 280 g/l
Relative vapour density	: Note: no data available

#### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Remarks: High temperature Poor ventilation. Contamination Moisture/high humidity.	es.
Materials to avoid	: Remarks: Avoid contact wit	h water on concentrated material in the
SAP 6.0	5 / 10	SDS Number: 00000002053

Version: 1.3	Revision Date: 05/30/2012	Print Date: 07/23/201
	container. Avoid contact with easily oxidizable material; ammonia, urea, or similar nitrogen containing compounds; inorganic reducing compounds; floor sweeping compounds; calcium hypochlorite; other swimming pool/spa chemicals in their concentrated form; alkalis. Avoid contact with all other chemicals.	
Hazardous decomposition products	: Note: Chlorine containing gases can be produce	ed.
Thermal decomposition	: 240 - 250 °C	
Hazardous reactions	: Hazardous polymerisation does not occur.	
SECTION 11. TOXICOLOGICA	INFORMATION	
Acute oral toxicity	: LD50: 1,823 mg/kg Species: rat	
Acute inhalation toxicity	: Remarks: Direct contact with wet material or mo irritation, pain and possibly burns.	bist skin may cause severe
Acute dermal toxicity	: LD50: > 5,000 mg/kg Species: rat	
Skin irritation	: Species: rabbit Remarks: Direct contact with wet material or mo severe irritation, pain and possibly burns.	bist skin may cause
Eye irritation	: Remarks: Causes serious eye damage.	
Sensitisation	: Remarks: This product is not expected to be a s	skin sensitizer.
Aspiration toxicity	: No aspiration toxicity classification	
Toxicology Assessment		
CMR effects	<ul> <li>Carcinogenicity: Not classified due to lack of data. Mutagenicity: Not classified due to lack of data. Reproductive toxicity: Not classified due to lack of data.</li> </ul>	
12. ECOLOGICAL INFORMATIO	ON	
Ecotoxicity effects		
Toxicity to fish	: Remarks:	
AP 6.0	6 / 10 SDS N	Jumber: 00000002053

	Revision Date: 05/30/2012	Print Date: 07/23/2
	no data available	
Toxicity to daphnia and other aquatic invertebrates	: Remarks: no data available	
Elimination information (per	sistence and degradability)	
Bioaccumulation	: Remarks: no data available	
Mobility	: Remarks: no data available	
Biodegradability	: Result: no data available	
Further information on ecolo	ogy	
Ecotoxicology Assessment		
Results of PBT assessment This mixture contains no subst Additional ecological information	<ul> <li>tance considered to be persistent, bioaccumulating r</li> <li>Toxic to fish.</li> <li>Toxic to aquatic organisms.</li> <li>Do not discharge effluent containing this product streams, ponds or estuaries, oceans, or other w accordance with the requirements of a National Discharge Elimination System (NPDES) permit authority has been notified in writing prior to disc discharge effluent containing this product to sew without previously notifying the local sewage tre authority. For guidance contact your State Wate Regional Office of the EPA.</li> </ul>	et into lakes, vaters unless in Pollutant and the permitting charge. Do not wer systems eatment plant
	Regional Onice of the EPA.	
CTION 13. DISPOSAL CONSID		
CTION 13. DISPOSAL CONSID		ccording to label I Agency or the St EPA Regional contact your State es with chemical or partially filled e a reaction or fire.
	<ul> <li>DERATIONS</li> <li>Dispose of waste material in compliance with all local regulations. If these wastes cannot be disposed of by use ad instructions, contact your Environmental Contro Hazardous Waste Representative at the neares Office for guidance. For registered pesticides, or Pesticide Agency. Do not contaminate ponds, waterways or ditche used container. Do not put product, spilled product, or filled or p containers into the trash or waste compactor. Contact with incompatible materials could cause Improper disposal of excess product, spray mixt</li> </ul>	ccording to label I Agency or the St EPA Regional contact your State es with chemical or partially filled e a reaction or fire.

Version: 1.3 Revision Date: 05/30/2012 Print Date: 07/23/2013 SECTION 14. TRANSPORT INFORMATION DOT UN number 3077 : Description of the goods Environmentally hazardous substances, solid, n.o.s. : : (sodium dichloro-s-triazinetrione dihydrate) : 9 Class Packing group : 111 ERG Code : 171 ΙΑΤΑ UN number : 3077 Description of the goods : Environmentally hazardous substance, solid, n.o.s. (sodium dichloro-s-triazinetrione dihydrate) : 9 Class : 111 Packing group : 9 Labels Environmentally hazardous : yes IMDG UN number : 3077 Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (sodium dichloro-s-triazinetrione dihydrate) : 9 Class Packing group : 111 EmS Number 1 : F-A EmS Number 2 : S-F Marine pollutant : yes sodium dichloro-s-triazinetrione dihydrate Environmentally hazardous : ves sodium dichloro-s-triazinetrione dihydrate Not recommended for shipment by air Limited Quantity exemption possible Not regulated by DOT and TDG if shipped or transported in packaging less than 400KG by road and/or rail. SECTION 15. REGULATORY INFORMATION **OSHA Hazards** : This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. SARA 311/312 Hazards : Fire Hazard **Reactivity Hazard** Acute Health Hazard **EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW** 8 / 10 SAP 6.0 SDS Number: 00000002053

Material Safety Data Sheet OMNI® STABILIZED CHLORINATING GRANULES		
ersion: 1.3	Revision Date: 05/30/2012	Print Date: 07/23/2013
SARA 302 Reportable Quantity	:	
The components of this p TSCA	roduct are reported in the following inventories: Note: Listed	
ECTION 16. OTHER INFORM	ATION	
HMIS Classification	: Health hazard: 3 Flammability: 0 Physical hazards: 1 PPI:Ask supervisor or safety specialist for handlir	ng instructions
NFPA Classification	: Health hazard: 3 Fire Hazard: 0 Reactivity Hazard: 1 Specific hazards: OX Class 1 Oxidizer.	0 3 1 0X
Other Emergency Phone Num	<u>iper</u>	

Version: 1.3

Revision Date: 05/30/2012

Print Date: 07/23/2013

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.